- 9. septic system wells used to inject the waste of effluent from a multiple dwelling, business establishment, community or regional business establishment septic tank. The UIC requirements do not apply to single family residential septic system wells, nor to non-residential septic system wells which are used solely for the disposal of sanitary wastes and have the capacity to serve fewer than 20 persons a day (Questionnaire II);
- 10. subsidence control wells (not used for the purpose of oil or natural gas production) used to inject fluids into a non-oil or gas producting zone to reduce or eliminate subsidence associated with the overdraft of fresh water (Questionnaire II);
- 12. injection wells associated with the recovery of geothermal energy for heating, aquaculture, and production of electric power (Questionnaire I);
- 13. wells used for solution mining of conventional mines such as stopes leaching (Questionnaire I);
- 14. wells used to inject spent brine into the same formation from which it was withdrawn after extraction of halogens or their salts (Questionnaire I):
- 15. injection wells used in experimental technologies (Questionnaire I);
- 16. injection wells used for in situ recovery of lignite, coal,
 tar sands, and oil shale (Questionnaire II);
- 17. agricultural drainage wells (Questionnaire II);
- 18. air scrubber waste disposal wells (except if injection is for enhanced recovery of oil and gas in California); and
- 19. water softener regeneration brine waste disposal wells (except if injection is for enhanced recovery of oil and gas in California).

Attachment 3
Form Approved OMS No 2000-0042 Expire

							NULBORIA		OTF								
1 199	OIM				LECTIO	ACHOSTO ACHOSTO	CAGENO	-	I. EP	A ID NUI	MBER						
375	PERMIT APPLIC				PLICA	MOIT		-	╁					T/A			
UIC (Collected under the Eighbority of Water Act Sections 1-21, 162				coring of the	a Sata De	nking	10	ı					İ				
		O CONTROL OF THE PARTY OF THE P		of the promising page		READ	ATTACHEL	1.1622. TINSTRU	TUDAS DE	COPC C	TA Dita						
Andrews		P	. 0			- XI	FO	OFFICIA	AL USE O	VLY	IAKIING	·					
Application opproved Date Received into day your mo day your Pormit/Woll Number						And the same of the same	-				A PROCESSION AND ADDRESS OF						
							1007711441142		 			-	Comme	ents			
U 5400 n					P. T. B. Marrier	F-17 1 Baran 1814											
II. FACILIT		E AND	ADDR	ESS 🖁					III. OWA	ER/OPE	RATOR.	AND	ADDRES	SS 2	THE PROPERTY OF		100
Fecility No	eme								1	Орэгето				-			
Street Add	drans																
									Street A	cidross							
City						Suste	ZIP Code	·	City				······································		γ		
	70-10-10-10-10-10-10-10-10-10-10-10-10-10				N				City						Stote	ZIP Co	de -
IV. OWNE	ASHIP!	STATUS	3 (Meri	k'x') [alie.			SOFT IN	V. SIC C	ODES &	anteriorista.	क्षा सुरक्षात् इ.स.च्या	C + NEUS P	्या । इ.स.च्या राज्य	W. Marie	er en casa	weit CIA
A Feek	o ra i	□ e. s	langua	r	-							l. Cal	TENE	3000 1			
					C. ₽r	TVETO)							
C D. Publ	Chicago Parameter	□ E. 0		zploin	1												**********
VI. WELL S	STATUS	(Mark	27	The Control	Bear Tike	Control of		gagacerasors Substitutures	sejmone	TO SEE	residents.	CHOP.	Desert	<u> </u>	-inagers		The Thermal
□ A.		mo l	e Stan		□в	Modifice	ion/Convo	с «d » «d » (д Г	ne e	the Tillian		170	a ang Pi	£	in Street		
Operation	ng	.,,,	μωγ	reor			WILL COURCE	eron L	C. Prop	ଂଡ ୍ଦ							
VII. TYPE (OF PERI	MIT RE	QUEST	ED /A	ark 'v' a	ON COAS	y if require		Geographic et	14676716		T F 275 on		2.22.62200			
-						r of Exist-			and the second of the second o				The Later	Sur set	4.2-376		
A India	viduel	LJ 8.	Area		ing wei		Cased was		Name(s) o	11910(5)	or projec	म्(६)					
dit of so						ando Talenco	TOUSANT DO TO TO	. Dellares	6D 6								
A. Class	as)		F VVEL Type(s			and the second s		AND DESCRIPTION OF		2012				Garana ecen Turk	7	To You	e per lemp
		Q.	· YLACK S	, 1	u. F. Cie	ss is "oth	er" or type	is code 'x	nielūxe .		D 41	t		We start we			in Am
	0(5))		r cada	(5))							บ. สมก	oer (ci wells p	set the	e (if area	permit)	
	3(S))		r cade	(5))					•		U. Num	oer (CI AABIIS B	ser lyp	e (if area	betwit)	
lenter cod		(ente		3//									ct vvoils p	oer lyp	e (d area	permit)	
X. LOCATI	ON OF	WELLIS	S) OR A	APPRO	XIMATE	CENTER	OF FIELD	OR PROJ				in an area					
X. LOCATI	ON OF	WELL(S	S) OR A	APPRO itude	XIMATE	E CENTER	vd Range		ECT I		C Aum	in an area			e (if area		in the second
X. LOCATI	ON OF	WELL(S	S) OR A	APPRO itude	XIMATE	E CENTER	OF FIELD od Renge Soc 1/4 Sec		ECT I	Foot fr				N LANS			ica STAL
X. LOCATI A. Le: Deg M.	ON OF titude	WELL(S	S) OR A Long	APPRO itude	XIMATE TO	E CENTER	Mange Soc 1/4 Sec		ECT I				X. INDIAN	N LANS	OS (Merk		ice of Mil
X. LOCATI A. LE: Deg M.	ON OF	WELL(S	S) OR A	APPRO itude	XIMATE TO	E CENTER	vi Renge Soc Vi Sec	Foot fro	ECT (Foot fr	om Lin	ie i	X. INDIAN	N LANG	DS (Merk		
X. LOCATI A. Let Deg M. G. ATTACH (Comp	ON OF Situde	WELLIS BE Deg	S) OR A Long	APPRO itude	XIMATE Town	E CENTER	eparate s	Foot fro	m Line	Foot from from from from from from from from	om Lin	e l	X. INDIAN Yes See ins	N LANG	OS (Merk	27:	
X. LOCATI A. Let Deg M. G. ATTACH (Comp	ON OF Situde	WELLIS BE Deg	S) OR A Long	APPRO itude	XIMATE Town	E CENTER	eparate s	Foot fro	m Line	Foot from from from from from from from from	om Lin	e l	X. INDIAN Yes See ins	N LANG	OS (Merk	27:) os
X. LOCATI A. Let Deg M. G. ATTACH (Comp	ON OF Situde	WELLIS BE Deg	S) OR A Long	APPRO itude	XIMATE Town	E CENTER	M Range Soc 1/4 Sec	Foot fro	m Line	Foot from from from from from from from from	om Lin	e l	X. INDIAN Yes See ins	N LANG	OS (Merk	27 : 27 : 27 : 27 : 27 : 27 : 27 : 27 :) os
X. LOCATI A. Les Deg M. G. ATTACI (Comp	ON OF Stude In Section	WELL(S B C Deg he fol SFS I, Ana	Long Long January Lowir Lowir L, III (i	APPRO itude of Second of S	XIMATE Too	E CENTER Property of Pange 1: Son 8 s. Sesses) (required	ed Range Soc 14 Sec Parate s Complete d. List an	Foot fro	ECT 1 m Line contact and num pmit on sents by let	Foot from the second se	om Lin cording a sheer ich are	e l	X. INDIAN Yes See ins	N LANG	OS (Merk	27 : 27 : 27 : 27 : 27 : 27 : 27 : 27 :	os vith
X. LOCATI A. Let Deg M. G. ATTACH (Comp FOR Coppro your a	ON OF titude in Second IMENTS plete to CLASS ppriate application if y un in the control if	WELLIS B C Deg S He folkiFS I. Ana ation:	S) OR A Long	APPRO itude of Second on S	XIMATE Towns of Twist	Fond Siesses) (ed Range Sec 14 Sec Parate s Complete 1. List an	Foot fro	ECT 1 m Line and num pmit on so	Foot for his paratition when the same state of t	om Un cording e sheet ich are	Spi Spi	X INDIAN Yes See ins Attachnolicable	N LANG	OS (Merk) No ions) A — U are inc	(pp 2-6 luded w	vith
X. LOCATI A. Let Deg M. KI. ATTACH (Comp FOR Compour a CII. CERTIFI J certifi super	ON OF titude in Section Sectin Section Section Section Section Section Section Section Section	WELLIS B C Deg he follows I. Attached der per in ecc	S) OR A Long Long Min Long Lower Low	APPRO itude Sec and o aps w	XIMATE Towns of Twist	Fond Some state of this	w Renge Soc W Sec Soc W Sec Soparate s Complete List an	Foot fro Foot fro And sub- achmen	m Line and num pmit on s its by let	Fox minber ac sparat ter wh	om Lin	pre	X INDIAN Yes See ins Attachnolicable	N LANS	OS (Merk) No ions) A — U are inc	(pp 2-6 ludad w	rith
X. LOCATI A. Let Deg M. G. ATTACH (Comp FOR C eppro your a U. CERTIFI I certifi super the inti	ON OF titude in Section Sectin Section Section Section Section Section Section Section Section	WELLIS B C Deg he follows Ana anion:	S) OR A Long Long Min Long Lower Low	APPRO itude of Section	XIMATE Towns of the classic states of the cl	E CENTER Change : From 8 s. Second 8 s.	w Renge Soc 1/2 Sec Soc 1/2 Se	Foot fro Foot fro And sub- achmen it and a	m Line and num pmit on s its by let elf ettec. re that q	Fox minutes and separate ter when the separate terms and separate terms are separate terms and separate terms are separate terms and separate terms and separate terms and separate terms are separate terms and separate terms and separate terms are separate terms and separate terms and separate terms are separate terms and separate term	om Lin cording e sheet ich are	e diy:	X INDIAN Yes See ins Attachn plicable pered at prope	N LANG	OS (Merk) No ions) A — U are inc	(pp 2-6 luded w	or
X. LOCATI A. Let Deg M. KI. ATTACH (Comp FOR C eppro your a UI. CERTIFI I certifi super the initial	ION OF titude in Sent Septiate application of the sent sent sent sent sent sent sent sen	WELLIS B C Deg S He follows a single section	iowir lowin lowir lowin lowir lowir lowir lowin lowir lowir lowir lowir lowir lowir lowir lowir lowin lowir lowir lowin	APPRO itude of Second on aps where we have a second on	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cynimy in	eparate s complete dicturner designed inquiry of r	Foot fro Foot fro And sub- achmen achmen achmen t and a to assu- the pers	m Line and num pmit on s its by let elf ettec, re that q on or per	Foot from the separation of th	om Lin cording e sheet ich are twere typerson typerson typerson	prenneg	X INDIAN Yes See ins Attachn plicable pered if prope ie the sy	N LANG	OS (Merk) No ions) A — U are inc r my dether are, or the	(pp 2-6 ludad w	vith Vith or ote
X. LOCATI A. Let Deg M. G. ATTACH (Comp FOR Compour a Co	ION OF titude in Selicitude in	WELLIS B C Deg he follows in action: der petition settion	iowir lowin lowir lowir lowir lowin lowir lowir lowin	APPRO itude of Sec and of Sec an	XIMATE Towns of the clark of th	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	eparate s complete di. List an discurrent designed inquiry of in	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hober acceparation who who will be the whole when the whole will be the whole with the whole will be the whole when the whole will be the whole will be the whole when the whole will be the whole when the whole will be the whole when the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole whole whole whole who will be the whole who will be the whole who will be the whole whole whole whole who will be the whole who will be the whole whole whole who will be	om Lin cording e sheet ich are twere d person the d is,	pre-	X INDIAN Yes See ins Attachn plicable pered if prope e the sy the bes	NLANS Struct ments and underly generated of in	OS (Merk) No ions) A — U are inc r my dether are, or the	(pp 2-6 ludad w	vith Vith or ote
X. LOCATI A. Let Deg M. G. ATTACH (Comp FOR Compount a super the initial direct belief, includ	ION OF Situde Sin Section IMENTS Plete t CLASS Poriate Applica ICATION Informat on Informatio	WELLIS B C Deg S S C D	lowir lowir lowir li, lii (ich mitter li) lii	APPRO itude of Second	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	w Renge Soc 1/2 Sec Soc 1/2 Se	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hober acceparation who who will be the whole when the whole will be the whole with the whole will be the whole when the whole will be the whole will be the whole when the whole will be the whole when the whole will be the whole when the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole whole whole whole who will be the whole who will be the whole who will be the whole whole whole whole who will be the whole who will be the whole whole whole who will be	om Lin cording e sheet ich are twere d person the d is,	pre-	See ins Attachn plicable pered if prope e the sy the bes r submit 122.6)	n LANC struct nents a and underly gar stemat of n	DS (Merk ions) A — U are inc r my d ther and or thoo ny know false in	(pp 2-6 luded wirection of eveluse person videge a formetic	or or ote ons and on,
X. LOCATI A. Let Deg M. G. ATTACH (Comp FOR Compount a super the initial direct belief, includ	ION OF Situde Sin Section IMENTS Plete t CLASS Poriate Applica ICATION Informat on Informatio	WELLIS B C Deg S S C D	lowir lowir lowir li, lii (ich mitter li) lii	APPRO itude of Second	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	eparate s complete di. List an discurrent designed inquiry of in	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hober acceparation who who will be the whole when the whole will be the whole with the whole will be the whole when the whole will be the whole will be the whole when the whole will be the whole when the whole will be the whole when the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole whole whole whole who will be the whole who will be the whole who will be the whole whole whole whole who will be the whole who will be the whole whole whole who will be	om Lin cording e sheet ich are twere d person the d is,	pre-	See ins Attachn plicable pered if prope e the sy the bes r submit 122.6)	n LANC struct nents a and underly gar stemat of n	DS (Merk ions) A — U are inc r my d ther and or thoo ny know false in	(pp 2-6 ludad w	or or ote ons and on,
X. LOCATI A. Let Deg M. G. ATTACH (Comp FOR Compount a super the initial direct belief, includ	ION OF Situde Sin Section IMENTS Plete t CLASS Poriate Applica ICATION Informat on Informatio	WELLIS B C Deg S S C D	lowir lowir lowir li, lii (ich mitter li) lii	APPRO itude of Second	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	eparate s complete di. List an discurrent designed inquiry of in	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hober acceparation who who will be the whole when the whole will be the whole with the whole will be the whole when the whole will be the whole will be the whole when the whole will be the whole when the whole will be the whole when the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole whole whole whole who will be the whole who will be the whole who will be the whole whole whole whole who will be the whole who will be the whole whole whole who will be	om Lin cording e sheet ich are twere d person the d is,	pre-	See ins Attachn plicable pered if prope e the sy the bes r submit 122.6)	n LANC struct nents a and underly gar stemat of n	DS (Merk ions) A — U are inc r my d ther and or thoo ny know false in	(pp 2-6 luded wirection of eveluse person videge a formetic	or or ote ons and on,
X. LOCATI A. Les Deg M. G. ATTACH (Comp FOR Compour a Co	ION OF titude in Section Secti	WELLIS B C Deg S S C D	lowir lowir lowir li, lii (ich mitter li) lii	APPRO itude of Second	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	eparate s complete di. List an discurrent designed inquiry of in	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hober acceparation who who will be the whole when the whole will be the whole with the whole will be the whole when the whole will be the whole will be the whole when the whole will be the whole when the whole will be the whole when the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole whole whole whole who will be the whole who will be the whole who will be the whole whole whole whole who will be the whole who will be the whole whole whole who will be	om Lin cording e sheet ich are twere d person the d is,	pre-	See ins Attachn plicable pered if prope e the sy the bes r submit 122.6)	n LANC struct nents a and underly gar stemat of n	DS (Merk ions) A — U are inc r my d ther and or thoo ny know false in	(pp 2-6 luded wirection of eveluse person videge a formetic	or or ote ons and on,
X. LOCATI A. Let Deg M. XI. ATTACH (Comp FOR Compour a UI. CERTIFI I certifi direct belief,	ION OF titude in Section Secti	WELLIS B C Deg S S C D	lowir lowir lowir li, lii (ich mitter li) lii	APPRO itude of Second	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	eparate s complete di. List an discurrent designed inquiry of in	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hober acceparation who who will be the whole when the whole will be the whole with the whole will be the whole when the whole will be the whole will be the whole when the whole will be the whole when the whole will be the whole when the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole who will be the whole whole who will be the whole whole whole whole who will be the whole who will be the whole who will be the whole whole whole whole who will be the whole who will be the whole whole whole who will be	om Lin cording e sheet ich are twere d person the d is,	pre-	See ins Attachn plicable epered el prope e the bes r submit 122.6)	Struct nents and underly gar stem itting	ions) A — U are inc or the are, or the ony know false in	(pp 2-6 luded wirection of eveluse person videge a formetic	or or ote ons and on,
X. LOCATI A. Les Deg M. G. ATTACH (Comp FOR C eppro your a II. CERTIFI I certifi direct belief, includ Name ev	ION OF titude in Section Secti	WELLIS B C Deg S S C D	lowir lowir lowir li, lii (ich mitter li) lii	APPRO itude of Second	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	eparate s complete di. List an discurrent designed inquiry of in	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hiber ac eparatiter what was a life of sons we submit	om Lin cording e sheet ich are twere d person the d is,	pre-	See ins Attachn plicable epered el prope e the bes r submit 122.6)	n LANC struct nents a and underly gar stemat of n	ions) A — U are inc or the are, or the ony know false in	(pp 2-6 luded wirection of eveluse person videge a formetic	or or ote ons and on,
X. LOCATI A. Les Deg M. G. ATTACH (Comp FOR C eppro your a II. CERTIFI I certifi direct belief, includ Name ev	ION OF strude in Second	WELLIS WELLIS Be Deg The following in acciding site account to the position of the position	lowir lowir lowir li, lii (ich mitter li) lii	APPRO itude of Second	XIMATE Towns of the clark	E CENTER Change : Ronge : Son 8 s. Sesses) corequired ct this cystem in the info	eparate s complete di. List an discurrent designed inquiry of in	Foot fro sheet(s) and sub- achmen achmen achmen to assu- the info	m Line and num pmit on s its by let elf ettec, re that q on or per primeticn	Foot for hiber ac eparatiter what was a life of sons we submit	om Lin cording e sheet ich are twere d person the d is,	pre-	See ins Attachn plicable epered el prope e the bes r submit 122.6)	Struct nents and underly gar stem itting	ions) A — U are inc or the are, or the ony know false in	(pp 2-6 luded wirection of eveluse person videge a formetic	or or ote ons and on,

Well Class and Type Codes

Class I	Wells used to inject waste below the deepest underground source of drinking water.
Type "!" "M" "W" "X"	Nonhazardous industrial disposal well Nonhazardous municipal disposal well Hazardous waste disposal well injecting below USDWs Other Class I wells (not included in Type "I," "M," or "W")
Cl285 []	Oil and gas production and storage related injection wells.
Type "D" "H" "X"	Produced fluid disposal well Enhanced recovery well Hydrocarbonn storage well (excluding natural gas) Other Class II wells (not included in Type "D," "R," or "H")
Cha DI	Special process injection wells.
Type "G" "S" "U" "X"	Solution mining well Sulfur mining well by Frasch process Uranium mining well (excluding solution mining of conventional mines) Other Class III wells (not included in Type "G," "S," or "U")
Other Classes	Wells not included in classes above.
	Class V wells which may be permitted under §144.12
	Wells not currently classified as Class I, II, III, or V.
PA Farm 2534 (449 mm m	

EPA Form 7520-6 (12-63) Reverse

INSTRUCTIONS - Form 4 - Underground Injection Control (UIC)
Permit Application

A Primary of the Committee of

Form 4 must be completed by all owners or operators of Class I, II, and III injection wells and others who may be directed to apply for a UIC permit by the Director.

- I. EPA I.D. NUMBER Fill in your EPA Identification Number. If you do not have a number, leave blank.
- II. FACILITY NAME AND ADDRESS Name of well, well field or company and address.
- III. OWNER/OPERATOR NAME AND ADDRESS Name and address of owner/operator of well or well field.
- IV. OWNERSHIP STATUS Mark the appropriate box to indicate
 the type of ownership.
- V. SIC CODES List at least one and no more than four Standard Industrial Codes (SIC) that best describe the nature of the business in order of priority.
- VI. WELL STATUS Mark Box A if the well(s) were operating as injection wells on the effective date of the UIC Program for the State. Mark Box B if the well(s) existed on the effective date of the UIC Program for the State but were not utilized for injection. Box C should be marked if the application is for an underground injection project not constructed or not completed by the effective date of the DIC Program for the State.
- VII. TYPE OF PERMIT Mark "Individual" or "Area" to indicate the type of permit desired. Note that area permits are at the discretion of the Director and that wells covered by an area permit must be at one site, under the control of one person and do not inject hazardous waste. If an area permit is requested the number of wells to be included in the permit must be specified and the wells described and identified by location. If the area has a commonly used name, such as the "Jay Field", submit the name in the space provided. In the case of a project or field which crosses State lines, it may be possible to consider an area permit if EPA has jurisdiction in both States. Each such case will be considered individually, if the owner/operator elects to seek an area permit.

VIII. CLASS AND TYPE OF WELL - Enter in these two positions the Class and type of injection well for which a permit is requested. Use the most pertinent code selected from the list on the reverse side of Form 4. When selecting type X please explain in the space provided.

IX. LOCATION OF WELL - Enter the latitude and longitude of the existing or proposed well expressed in degrees, minutes, and seconds or the location by township, and range, and section, as required by 40 CFR 146. If an area permit is being requested, give the latitude and longitude of the approximate center of the area.

X. INDIAN LANDS - Place an "X" in the box if any part of the facility is located on Indian lands.

XI. ATTACHMENTS - Note that information requirements vary depending on the injection well class and status. Attachments for Class I, II, and III are described on pages 3-7 of this document and listed by Class on page 8. Place EPA ID number in the upper right hand corner of each page.

XII. CERTIFICATION - All permit applications (except Class II) must be signed by a responsible corporate officer for a corporation, by a general partner for a partnership, by the proprietor of a sole proprietorship, and by a principal executive or ranking elected official for a public agency. For Class II, the person described above should sign, or a representative duly authorized in writing.

INSTRUCTIONS - Attachments to Form 4

Attachments to be submitted with permit application for Class I, II, III and other wells.

- A. AREA OF REVIEW METHODS Give the methods and, if appropriate, the calculations used to determine the size of the area of review (fixed radius or equation). The area of review shall be a fixed radius of 1/4 mile from the well bore unless the use of an equation is approved in advance by the Director.
- B. MAPS OF WELLS/AREA AND AREA OF REVIEW Submit a topographic map, extending one mile beyond the property boundaries, showing the injection well(s) or project area for which a permit is sought and the applicable area of review. The map must show all intake and discharge structures and all lift the application is for an area permit, the map should show the distribution manifold (if applicable) applying injection fluid to all wells in the area, including all map must show the following:

Class I

The number, or name, and location of all producing wells, injection wells, abandoned wells, dry holes, surface bodies of water, springs, mines (surface and subsurface), quarries, water wells and other pertinent surface features, including residences and roads, and faults, if known or suspected. Only information of public record is required to be included on this map;

Class II

In addition to requirements for Class I, include pertinent information known to the applicant. Requirement does not apply to existing Class II wells;

Class III

In addition to requirements for Class I, include public water systems and pertinent information known to the applicant.

C. CORRECTIVE ACTION PLAN AND WELL DATA - Submit a tabulation of data reasonably available from public records or otherwise known to the applicant on all wells within the area of review, including those on the map required in B, which penetrate the proposed injection zone. Such data shall include the following:

Class I

A description of each well's type, construction, date drilled, location, depth, record of plugging and/or completion, and any additional information the Director may require. In the case of new injection wells, include the corrective action proposed to be taken by the applicant under 40 CFR 144.55.

Class II

In addition to requirements for Class I, in the case of Class II wells operating over the fracture pressure of the injection formation, all known wells within the area of review which penetrate formations affected by the increase in pressure. This requirement does not apply to existing Class II wells.

Class III

In addition to requirements for Class I, the corrective action proposed under 40 CFR 144.55 for all Class III wells.

- D. MAPS AND CROSS SECTIONS OF USDW'S Submit maps and cross sections indicating the vertical limits of all underground sources of drinking water within the area of review (both vertical and lateral limits for Class I), their position relative to the injection formation and the direction of water movement, where known, in every underground source of drinking water which may be affected by the proposed injection. (Does not apply to Class II wells.)
- E. NAME AND DEPTH OF USDW'S (CLASS II) For Class II wells, submit geologic name, and depth to bottom of all underground sources of drinking water which may be affected by the injection.
- F. MAPS AND CROSS SECTIONS OF GEOLOGIC STRUCTURE OF AREA Submit maps and cross sections detailing the geologic structure of the local area (including the lithology of injection and confining intervals) and generalized maps and cross sections illustrating the regional geologic setting. (Does not apply to Class II wells.)

- G. GEOLOGICAL DATA ON INJECTION AND CONFINING ZONES (CLASS II) - For Class II wells, submit appropriate geological data on the injection zone and confining zones including lithologic description, geological name, thickness, depth and fracture pressure.
- OPERATING DATA Submit the following proposed operating н. data for each well (including all those to be covered by area permits): (1) average and maximum daily rate and volume of the fluids to be injected; (2) average and maximum injection pressure; (3) nature of annulus fluid; (4) for Class I wells, source and analysis of the chemical, physical, radiological and biological characteristics, including density and corrosiveness, of injection fluids; (5) for Class II wells, source and analysis of the physical and chemical characteristics of the injection fluid; (6) for Class III wells, a qualitative analysis and ranges in concentrations of all constituents of injected fluids. If the information is proprietary, maximum concentrations only may be submitted, but all records must be retained.
- I. FORMATION TESTING PROGRAM Describe the proposed formation testing program. For Class I wells the program must be designed to obtain data on fluid pressure, temperature, fracture pressure, other physical, chemical, and radiological characteristics of the injection matrix and physical and chemical characteristics of the formation fluids.

For Class II wells the testing program must be designed to obtain data on fluid pressure, estimated fracture pressure, physical and chemical characteristics of the injection zone. (Does not apply to existing Class II wells or projects.)

For Class III wells the program must be designed to obtain data on fluid pressure, fracture pressure, and physical and chemical characteristics of the formation fluids if the formation is naturally water bearing. Only fracture pressure is required if the formation is not water bearing. (Does not apply to existing Class III wells or projects.)

- J. STIMULATION PROGRAM Outline any proposed stimulation program.
- K. INJECTION PROCEDURES Describe the proposed injection procedures including pump, surge, tank, etc.

- CONSTRUCTION PROCEDURES Discuss the construction procedures (according to \$146.12(b) for Class I) to be utilized. This should include details of the casing and cementing program, logging procedures, deviation checks, and the drilling, testing and coring programs, and proposed annulus fluid. (Request and submission of justifying data must be made to use an alternative to a packer for Class I.)
- M. CONSTRUCTION DETAILS Submit schematic or other appropriate drawings of the surface and subsurface construction details of the well.
- N. CHANGES IN INJECTED FLUID Discuss expected changes in pressure, native fluid displacement, and direction of movement of injected fluid. (Class II and III wells only.)
- O. PLANS FOR WELL FAILURES Outline contingency plans (proposed plans, if any, for Class II) to cope with all shut-ins or well failures, so as to prevent migration of fluids into any USDW.
- P. MONITORING PROGRAM Discuss the planned monitoring program. This should be thorough, including maps showing the number and location of monitoring wells as appropriate and a discussion of monitoring devices, sampling frequency, and parameters measured. If a manifold monitoring program is utilized, pursuant to \$146.23(b)(5), describe the program and compare it to individual well monitoring.
- Q. PLUGGING AND ABANDONMENT PLAN Submit a plan for plugging and abandonment of the well including: (1) describe the type, number, and placement (including the elevation of the top and bottom) of plugs to be used; (2) describe the type, grade, and quantity of cement to be used; and (3) describe the method to be used to place plugs, including the method used to place the well in a state of static equilibrium prior to placement of the plugs. Also for a Class III well that underlies or is in an exempted aquifer, demonstrate adequate protection of USDW's.
- R. NECESSARY RESOURCES Submit evidence such as a surety bond or financial statement to verify that the resources necessary to close, plug or abandon the well are available.
- S. AQUIFER EXEMPTIONS If an aquifer exemption is requested, submit data necessary to demonstrate that the aquifer meets the following criteria: (1) does not serve as a source of drinking water; (2) cannot now and will not in the future serve as a source of drinking water; and (3)

the TDS content of the ground water is more than 3,000 and less than 10,000 mg/l and is not reasonably expected to supply a public water system. Data to demonstrate that the aquifer is expected to be mineral or hydrocarbon producing, such as general description of the mining zone, analysis of the amenability of the mining zone to the proposed method, and time table for proposed development must also be included. For additional information on aquifer exemptions, see 40 CFR 144.7 and 146.04.

- T. EXISTING EPA PERMITS List program and permit number of any existing EPA permits, for example, NPDES, PSD, RCRA, etc.
- U. DESCRIPTION OF BUSINESS Give a brief description of the nature of the business.

Attachments to Permit Application

Class	Attachments
I new well	A, B, C, D, F, H - S, U
existing	A, B, C, D, F, H - U
II new well	A, B, C, E, G, H, M, Q, R; optional - I, J, K, N, O, P, U
existing	A, E, G, H, M, Q, R - U; optional - J, K, N, O, P, Q
III new well	A, B, C, D, F, H, I, J, K, M - S, U
existing	A, B, C, D, F, H, J, K, M - U
Other Classes	To be specified by the permitting authority



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX

215 Fremont Street San Francisco, Ca. 94105

Re: Information on Class V Injection Wells for Underground Injection Control Program of the Environmental Protection Agency (EPA)

To whom it may concern:

As required by EPA regulations [Title 40 of the Code of Federal Regulations (CFR), Section 144.26], owners and operators of all Class V injection wells in American Samoa, Arizona, California, Hawaii, Nevada, and the Trust Territories must submit information about these wells to the EPA by June 25, 1985.

A well is defined as a "bored, drilled or driven shaft, or dug hole; whose depth is greater than the largest surface dimension (40 CFR 146.3)." Class V wells include a diverse group of wells used for residential, municipal or industrial purposes. A more detailed list of the types of Class V wells is enclosed (see attachment A).

Please provide EPA, Region 9 with information regarding Class V wells within your jursidiction or operation. Include information on all injection wells located in the states mentioned above. Questionnaire I should be completed for radioactive waste disposal wells, geothermal energy recovery wells, brine return flow wells, municipal and industrial disposal wells (other than those classified as Class I as defined in the enclosed attachment), air scrubbers waste disposal wells (except if injection is for enhanced recovery of oil and gas in California), water softener regeneration brine waste disposal wells (except if injection is for enhanced recovery of oil and gas in California), wells used in experimental technologies and solution mining. Questionnaire II should be completed for all other well types of Class V wells.

Please complete either or both of these questionnaires to the best of your ability and return the information in the self-addressed envelope by June 25, 1985. If you do not have any or know of any Class V wells, please note on the questionnaires that you have no or know of no Class V wells. Your cooperation in this effort will be greatly appreciated. This information could result in the prevention or improvement of a water quality problem in the ground water in your area. If you have any questions, please contact Jayne Carlin of my staff at (415) 974-7116.

Pete Uribe, Chief

Underground Injection Control Section

Water Management Division

Enclosures

QUESTIONNAIRE I

1,	acility Name:	
	Coclude Country	
	lephone Number: (
	elephone Number: ()	
	dress of Local Contact:	
	dress of Legal Contact:	¥
	me of Owner:	
	drage of a	
	subsidiary, name of parent co.:	
	dress of parent company:	
2. 3.	vnership: Private Public State Federal Indian Lands rovide general information about the well(s):	
	of the well Exact Location of Well* Type of Well** Status of Well***	
**	**************************************	
*	Exact Location of Well by Latitude and longitude to the nearest second; or by Township, Range, Section, Quarter-Sections; or by street address if located	
*	For assistance in determining type of well, see Attachment A - pages 2 and 3.	
\$	Codes for Well Status: UC = under construction AC = active TA = temporarily plugged (no longer used but not plugged) PA = permanently plugged & abandoned and approved by stat	.e

** Include in your answer the process or business that produces the fluid and the chemical

constituents of the fluid.

QUESTIONNAIRE II

Facility Name:	
Facility Address:	
(Include County)	
Telephone Number: ()	
Name of Legal Contact:	
Address of Legal Contact:	
_	
Name of Owner:	
Addross of a	
Omarchin not	•
ownership: Private _	Public State Federal Indian Lands
Number of Well(s) Type of	Well(s)* Location of Well(s) Status of Well(s)**
,	i
Name and Title of Preparer	of Questionnaire

	ning type of well, see Attachment A - page 2 and 3.
**Codes for Well Status: UC = under construction AC = active	

ATTACHMENT A

Region 9 UIC Program Information Sheet

General Information about the Underground Injection Control Program

The Safe Drinking Water Act (SDWA) of 1974, as amended, requires the U.S. Environmental Protection Agency (EPA) to establish a program which provides for the safety of our nation's drinking water. One part of this program, Underground Injection Control (UIC), has been established to prevent contamination of underground sources of drinking water due to improper design, construction and operation of injection wells. Although not recognized, the injection of waste materials is a very common practice. For example, the oil and gas industry operates tens of thousands of wells nationwide which inject brine or brackish wastewater in the production of oil and gas. Other types of injection wells include hazardous waste disposal operations wells, industrial waste disposal wells, municipal disposal operations wells, and nuclear storage and disposal wells.

Underground Sources of Drinking Water

By definition, an Underground Source of Drinking Water (USDW) is an aquifer or a portion of an aquifer:

which supplies any public water system; or

which contains significant quantity of ground water to supply a public water system; and

currently supplies drinking water for human consumption; or

contains fewer than 10,000 mg/l total dissolved solids (TDS) and is not an exempted aquifer.

An aquifer is a geological formation that is capable of yielding a significant amount of water to a well or to a springs. An exempted aquifer is an aquifer that cannot now and will not in the future serve as a source of drinking water, as determined by EPA.

Well Classification

A well is defined as a bored, drilled or driven shaft or dug hole whose depth is greater than the largest surface dimension. There are five classes of injection wells which are regulated by the UIC program. A specific well classification is made by determining the type of fluid to be injected and the geologic area into which the fluid is to be injected. Injection well classes are summarized as follows:

Class I wells are municipal and industrial disposal wells (including wells used by generators of hazardous waste and owners of hazardous waste management facilities) which inject fluids below the lowermost formation containing, within one quarter mile of the well bore, an underground source of drinking water.

- Class II wells are associated with oil and gas production or liquid hydrocarbon storage. These wells inject fluids which are brought to the surface for the enhanced recovery of oil and natural gas and for the storage of hydrocarbons.
- Class III wells inject fluids for the extraction of minerals and are used in conjunction with solution mining of minerals.
- Class IV wells are used by generators of hazardous and radioactive wastes. These wells inject into a formation which within one quarter of a mile of the well contains an underground source of drinking water. Class IV wells are prohibited.
- Class V wells are wells which do not meet the criteria listed for classes I through IV. Generally, wells covered under this classification inject non-hazardous fluids into or above formations that contain underground sources of drinking water. Class V wells include the following, but are not limited to these types of wells:
 - air conditioning return flow wells used to return to the supply aquifer the water used for heating or cooling in a heat pump (Questionnaire II);
 - 2. cesspools including multiple dwelling, community or regional cesspools, or other devices that receive wastes which have an open bottom and sometimes have perforated sides. The UIC requirements do not apply to single family residential cesspools nor to non-residential cesspools which receive solely sanitary wastes and have the capacity to serve fewer than 20 persons a day (Questionnaire II);
 - cooling water return flow wells used to inject water previously used for cooling (Questionnaire II);
 - dry wells used for injection of wastes into a subsurface formation (Questionnaire II);
 - 5. drainage wells used to drain surface fluid, primarily storm runoff, into a subsurface formation (Questionnaire II);
 - recharge wells used to replenish the water in an aquifer (Questionnaire II);
 - 7. salt water intrusion barrier wells used to inject water into a fresh water aguifer to prevent the intrusion of of salt water in the fresh water (Questionnaire II);
 - 8. sand backfill and other backfill wells used to inject a mixture of water and sand, mill tailings or other solids into mined out portions of subsurface mines regardless of whether or not it is a radioactive waste (Questionnaire II);

- 9. septic system wells used to inject the waste of effluent from a multiple dwelling, business establishment, community or regional business establishment septic tank. The UIC requirements do not apply to single family residential septic system wells, nor to non-residential septic system wells, nor to non-residential septic system wells which are used solely for the disposal of sanitary wastes and have the capacity to serve fewer than 20 persons a day (Questionnaire II);
- 10. subsidence control wells (not used for the purpose of oil or natural gas production) used to inject fluids into a non-oil or gas producting zone to reduce or eliminate subsidence associated with the overdraft of fresh water (Questionnaire II);
- 11. radioactive waste disposal wells other than Class IV
 (Questionnaire I);
- 12. injection wells associated with the recovery of geothermal energy for heating, aguaculture, and production of electric power (Questionnaire I);
- 13. wells used for solution mining of conventional mines such as stopes leaching (Questionnaire I);
- 14. wells used to inject spent brine into the same formation from which it was withdrawn after extraction of halogens or their salts (Questionnaire I);
- 15. injection wells used in experimental technologies (Questionnaire I);
- 16. injection wells used for in situ recovery of lignite, coal, tar sands, and oil shale (Questionnaire II);
- 17. agricultural drainage wells (Questionnaire II);
- 18. air scrubber waste disposal wells (except if injection is for enhanced recovery of oil and gas in California); and
- 19. water softener regeneration brine waste disposal wells (except if injection is for enhanced recovery of oil and gas in California).

NONHYDROCARBON-PRODUCING ZONE INJECTION DATA

DIST	. FIELD	FORMATION & ZONE	TDS OF ZONE WATER	TDS OF	VOLUME INJECTED	INJECT]
		COMMITTION & ZONE	PRIOR TO INJECTION	INJECTED WATER	(Barrels)	STARTEI
1	Belmont Offshore	Repetto	30,800			
1	Huntington Beach	Lakewood	30,000			
		Alpha 1	37,200			
•		Alpha 2	12,500			
1	Sawtelle	Puente	25,500			
1	Seal Beach	Repetto	29,700			
1	III 1 md m a b m m	Recent Sands	30,200			
1 1	Wilmington	Gaspur	28,200			
4		River Gravels	30,800			
2	Ramona	Pico	5,000	15 200		
2	South Tapo Canyon	Pico	1,900 ppm NaC1	15,300 ppm NaC1		6/51
. 2	Oat Mountain	Undiff.	4,800	600 ppm NaC1		1/48
2	Simi	Sespe	4,300	23,800 ppm NaC1 25,500 ppm NaC1		4/56
_		•	,,550	25,500 ppm Nact	695,000	6/48
3	Guadalupe	Knoxville	30,500			
3	Lompoc	Lospe	119,000			
3	Lompoc	Knoxville	30,500	***		
3	Russell Ranch	Branch Canyon	13,000	ŕ		امخ (م
^3 -3	San Ardo	Santa Margarita	3,700	5,600	81,800,000	
3	71	Monterey "D" Sand	4,600	5,600	13,795,000	11/66 2 7/59 2
3	Santa Maria Valley	Monterey "E" Sand	6,400	5,600	6,057,000	3/58 🕳
3	Monroe Swell	Lospe-Franciscan	119,000			E E
3	Point Conception	Santa Margarita Camino Cielo	3,700 ppm NaCl	9,600	?	1981
3	Guadalupe	Franciscan	26,200			
-	- and an end so from	Tanciscan	30,500			
4	Bellevue	Etchegoin	26.500 (Anal	ysis from adjacent fiel	<i>a</i> \	ਾਹ ਨਾ
4	Bellevue, West	Tulare	12,000*	Jose from adjacent fier	a)	Pag
4	11	Etchegoin	•	ysis from adjacent fiel	4)	9 D
. 4	Blackwell's Corner	Tumey	2,100 -2,600*	29,000 ppm NaC1	400,000	5/75 ^{L Ch}
. 4	Buena Vista	Tulare	9,200	5,300-36,500	50,798,000	3//3 អ 11/72 ខ្ពុំ ខ្ពុំ
4	Cal Canal	Tulare-San Joaquin	Excess of 10,000*	22,000	537.000	5/79 d
4	Canfield Ranch	Etchegoin	≃12,800-26,500 (Analy	ysis from adjacent field	ls)	ω
				y	•	U

 $[\]pi^{\mu} \nabla^{\mu}$ log calculation

	DIST	. FIELD	FORMATION & ZONE	TDS OF ZONE WATER PRIOR TO INJECTION	TDS OF INJECTED WATER	VOLUME INJECTED (Barrels)	INJEC1
	4	North Coles Levee	Tulare	12,900		(Daileis)	STARTE
	4	51	San Joaquin	40,000-45,600			
	4		Etchegoin	30,100			
	4	South Coles Levee	Tulare	12,000-13,300			
	4		San Joequin	12,000-16,900			
	4	Greeley	Etchegoin	26,500			
	-4	Kern Bluff	Kern River	≈ 400- 900 (Fr	on V (00		
					om Kern 600 ver Field)		
	,	ų		KI	ver rierd;	<i>5</i> 51,500	7/80
	, 4		Vedder	≈ 7,800-16,100 "	11,700-213,000	1 000 1000	
	. 4	Kern Front	Santa Margarita	2,300	1,700-213,000	4,099,000	3/80
	. 4	Kern River	Chanac	238- 925	374- 865	7 071 000	9/75
	_4			· · ·	2,4 003	1,071,000	6/77
	/ 4		Santa Margarita	600- 2,600	475- 16,200	154,994,000	9/73
	. 4	••	Vedôer	7 000 16 000		•	3113
	4	Lakeside	San Joaquin	7,800-16,200		33,204,000	
	4	Los Lobos	Tuløre	21,500			
	4	Midway-Sunset	Alluvium	33,300* No water	2 (00 00 00		
	. 4	Mount Poso	Walker	2.800*	3,600- 25,700	• • • • •	7/59
	. 4	Mountain View	Kern River	4,660*	830- 1,440	22,632,000	9/75
	. 4	Pleito	Chanac & Kern River	7,900-11,800	1,200-3,800	3,681,000	12/65
	4	Poso Creek	Vedder	12,500	12,800-30,800	889,000	8/74
	4	Rio Viejo	San Jeaquin	21,000*			
,	4	Rosedale	Etchegoin		lysis from adjacent	£3.1.1\	t.
	4	Round Mountain	Olcese	2,700	1,337- 1,965		et.
_	- 4	 	Walker	1,930	1,600 - 2,100	29,797,000	7/74 8/72 \(\bar{2}\)
J.	4	Seventh Standard	Etchegoin	17,100-30,000 (NaC)	only)	203,319,000	8/72 🚉
	4	Strand	Etchegoin	8,600 (NaC1	only)	1,195,000	- /
				, , , , , , , , , , , , , , , , , , , ,	16,500-25,600 (NaC	1,193,000	7/62 불
	4		San Joaquin	33,400	23,000 (1140)	i only)	
	4	Ten Section	San Joaquin	12,900			
	5	Burrel	Santa Margarita	35 000 (4==1			Pag
	5	**	Tulare-Kern River	20 500 (Ana)	ysis from Helm field	1)	rge Ge
		Southeast Burrel	Tulare-Kern River	20,500 (Alla)	ysis from S.E. Burre	r rield)	2 9 2 10 111
L		Coalinga	Santa Margarita	8,244	3,100- 3,500	(1/5 000 000	2
	5		Etchegoin-Jacalitos	2,650- 2,900	2,650-2,700	(145,000,000	2/63 유
	5	Gill Ranch Gas	Zilch	14,500	4,030-4,700	(2/63 👸 त
				,550			 ,

[&]quot;E" log calculation

Page	3				VOLUME	
			TDS OF ZONE WATER	TDS OF	INJECTED	INJECT
DIST.	FIELD	FORMATION & ZONE	PRIOR TO INJECTION	INJECTED WATER		STARTE
V 5	Cuddama 1 Wills	.				
- J	Guijarral Hills	Etchegoin-Jacalitos	9,400	20,500	931,000	4/67
	Helm	Santa Margarita	35,900		(143,000,000	,
5 -		Tulare-Kern River	5,100-23,900	11,600-43,400	(12/52
5	Jacalitos	Etchegoin-Jacalitos	33,749	5,500 ((C1 only) 180,000	10/78
5	Kettleman North Dome	San Joaquin-Etchegoin	10,000	23,800-31,200	48,608,000	8/64
5	Raisin City	Pliocene	12,800-34,000		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0/04
5	**	Santa Margarita		Analysis from Helm	field)	
5	Riverdale	Pliocene	4,788-16,200		(72,626,000	7/57
5	11	Santa Margarita		Analysis from Helm	field) (7/57
5	San Joaquin	Pliocene	17,100	maryors from herm	rierd) (
5	San Joaquin, Northwest	t Basal McClure	90,000	18,500	To ab 11 1 -	1 4 1 .
ν 5 .	Turk Anticline	San Joaquin	3,700-4,440	9,500- 9,800	Test well-no in	
		1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	9,300- 9,800	466,000	11/76
~6	Bunker Gas	Undiff.	1,200	11,000	388,000	1/75
6	Grimes Gas	Kione	16,800	22,000	300,000	1/75
6	Grimes, West, Gas	Kione	34,000*			
6	La Honda (South Area)	Vaqueros	41,000			
6		Starkey	15,400*			
~ 6		Сарау	6,900*	7 000	02.000	
6		Undiff.	18,000*	7,000	93,000	7/75
∠6	_	Kione	2,500	4 600 22 000	614.000	
6		Mokelumne River	5,000-6,000 *	4,600-23,000	644,000	7/77
6		Undiff.		7,800	471,000	7/77
•		UHULLL.	2,800-5,000*	21,400	823,000	11/69

2861 AVW 2 T

Attachment 6 Page 3 of 3

Attachment 2

Exempted 1425 Demonstration Aquifers

All oil and gas producing aquifers identified in Volumes I, II, and III of the <u>California Oil and Gas Fields</u> submitted in the 1425 Demonstration dated April 20, 1981 are exempted.

In addition, the following aguifers are also exempted.

DISTRICT	FIELD	FORMATION/ZONE
2 2 2 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4	Ramona Oat Mountain South Tapo Canyon Simi San Ardo San Ardo San Ardo Monroe Swell Blackwell's Corner Kern Bluff Kern Front Kern River Mount Poso Round Mountain Round Mountain Buena Vista Kern Bluff Kern River Mountain View Pleito Pleito Poso Creek Coalinga Coalinga Guijarral Hills Helm Riverdale Turk Anticline Sutter Buttes Gas Bunker Gas Wild Goose	Pico Undiff. Pico Sespe Santa Margarita Monterey "D" Sand Monterey "E" Sand Santa Margarita Tumey Kern River Santa Margarita Chanac Santa Margarita Walker Olcese Walker Tulare Vedder Vedder* Kern River Chanac Kern Piver Santa Margarita Santa Margarita Santa Margarita Etchegoin-Jacalitos Etchegoin-Jacalitos Tulare-Kern River Pliocene San Joaquin Koine* Undiff. Undiff.

^{*}Oil and/or gas producing